

# LUGER S/42

9x19mm Selbstladepestole Parabellum  
Serial #4860 b – 100mm Barrel  
Mauser-Werke — 1938

Captured From

German Officer  
Battle of the Bulge – Saar Moselle Triangle  
Vicinity of Tettingen, Germany – Siegfried Line

Captured By

1st Lt. Vernon K. Malberg 0-1314160  
Infantry Platoon Leader, 'D' Company  
376th Infantry, 94th Infantry Division  
Third Army

Capture Certification

14-18 January 1945

Certificate

John F. Coughlin  
2nd Lt., Infantry – 165 Labor Supervision Center  
1 May 1946

# CERTIFICATE

1 May 1946

(Date)

1. I certify that I have personally examined the items of captured enemy equipment in the possession of 1st Lt. VERNON K. MALBERG O-1314160 and that the bearer is officially authorized by the Theater Commander, under the provisions of Sec VI, Cir 155, WD, 28 May 1945, to retain as his personal property the articles listed in Par 3, below.
2. I further certify that if such items are to be mailed to the US, they do not include any items prohibited by Sec VI, Cir 155, WD, 28 May 1945.
3. The items referred to are: 1 German Luger  
# 4860 - 1938 model



*John F. Coughlin*  
JOHN F. COUGHLIN

(Signature)

2nd Lt., Inf - 165 Labor Supervision Center

(Rank, Branch and Organization)

(This certificate will be prepared in duplicate)

AG USFET Form N° 33

Lef. 8-46 5.000.000 78.920

To Whom It May Concern:

This 9mm Luger, 1938 Model serial # 4860, was taken from a German Officer during The Battle of the Bulge in the Saar Moselle Triangle sometime between January 14 to 18, 1945 in the vicinity of Tettingen, Germany where the 1st Battalion, 376th Infantry pierced the Siegfried Line.

*Vernon K. Malberg*  
1st Lt Vernon K. Malberg O1314160  
Infantry Platoon Leader, 'D' Co.  
376th Infantry, 94th Inf. Div.  
Third Army

## BATTLE HONORS

GENERAL ORDERS  
NO. 2

WAR DEPARTMENT  
Washington 25, D.C., 5 January 1946

**BATTLE HONORS.** As authorized by Executive Order 9396 (sec. I, WD Bul. 22, 1943), superseding Executive Order 9075 (sec. III, WD Bul. 11, 1942), citation of the following unit in the general orders indicated is confirmed under the provisions of section IV, WD Circular 333, 1943, in the name of the President of the United States as public evidence of deserved honor and distinction. The citation reads as follows:

*The 1st Battalion, 376th Infantry Regiment, is cited for extraordinary heroism and outstanding performance of duty in action in Germany, during the period 14 January to 18 January 1945. The 1st Battalion, 376th Infantry Regiment, was ordered to capture the towns of Tettingen and Butzdorf and thereby breach the Siegfried Line Switch of fortifications protecting the Saar-Moselle Triangle. Employing lightning-like tactics and surprise, the objectives were captured with light casualties, and strong defenses were set up. At approximately 0300 on 15 January, the enemy launched the first of a series of counterattacks when 400 enemy infantrymen swarmed down the hills and surrounded the towns in a desperate effort to regain the vital ground. The Germans were driven back after sustaining staggering casualties. Seven more determined attacks by numerically superior forces were repulsed in a like manner. Carrying parties braved intense artillery, mortar, and sniper fire to bring up ammunition and medical supplies. To deceive the enemy as to the true strength of our forces, the gallant defenders maneuvered rapidly from house to house through holes blasted in the sides of buildings with satchel charges and bazookas, all the time directing heavy fire upon the Germans. At one time, 35 enemy tanks were counted in the streets of the two towns, but the men of the 1st Battalion, disregarding point-blank fire from the tanks and despite these overwhelming odds, courageously resisted and repelled every attack. In spite of heavy casualties and the fact that the men occupied front-line positions for 5 days without sleep, they bitterly contested every foot of ground, tenaciously held the positions, killed approximately 850 Germans and captured 150, and destroyed 8 tanks and 11 half-tracks. The unconquerable spirit displayed by these men in the face of superior odds, and their self-sacrificing devotion to duty are worthy of the highest emulation. [General Orders 255, Headquarters 94th Infantry Division, 29 September 1945, as approved by the Commanding General, United States Army Forces, European Theater (Main).]*



"The Battle of the Bulge was the greatest battle ever fought by the United States Army."

General George S. Patton  
Commander, U.S. Third Army

More than one million troops in the battle fought in the Ardennes Country known as the Battle of the Bulge in Belgium and Luxembourg from December 16, 1944, through January 25, 1945, in fog, snow, ice, and mud.

There were approximately 200,000 casualties in this pivotal World War II struggle.

"This is undoubtedly the greatest American battle of the war and will, I believe, be regarded as an ever famous American victory."

Sir Winston Churchill  
Prime Minister of Great Britain  
and Commander in Chief of the British Forces



Mauser Luger - S/42 - 1938  
Serial #4860 b - 100mm Barrel  
Captured 14-18 January 1945  
1st Lt. Vernon K. Malberg  
Infantry Platoon Leader  
'D' Company  
376th Infantry  
94th Infantry Division  
Third Army  
Siegfried Line  
Battle of the Bulge  
Saar Moselle Triangle  
Vicinity of Tettingen, Germany





# History of the Luger

By John Chapaman of the Luger Forum

The Luger's direct ancestor, the Borchardt C/93 self-loading pistol was, one of the very earliest viable semiautomatic pistols available in any quantity. It was designed by Hugo Borchardt while in the employ of Ludwig Loewe & Co, Karlsruhe, Germany. The pistol fired a round with the same dimensions as the 7.63 Mauser cartridge, but a weaker powder charge. It should be noted that the Mauser semiautomatic pistol for which that cartridge is named was actually designed later at Mauser by the Feederle brothers, using ammunition provided by Ludwig Loewe and Co. While the Borchardt is similar to the Luger in the most important way, the use of toggle-action, the Borchardt pistol differs significantly from the Luger. The Borchardt features a straight up-and-down grip, and a bulky protrusion behind and above the grip that houses the mainspring and toggle mechanism. It is also rather larger overall than the Luger. It was never produced in very large quantities.

While the Borchardt was a fine target arm, it was cumbersome and somewhat fragile, unsuited for use as a military side arm. Georg Luger, an employee of Loewe & Co., took the Borchardt pistol as a starting point for designing the first pistols resembling what we would call a "Luger." The changes he made included development of a new cartridge, the 7.65 Parabellum or 7.65x23 cartridge (also called .30 Luger in USA), which is a 2mm shorter version of the Borchardt cartridge with a different powder charge. (The 7.63 Mauser has a 25mm case). In addition to the new cartridge, Luger also redesigned the complex mechanism behind the grip. He retained the toggle-locking action of the Borchardt, but replaced the Borchardt's bizarre mainspring and the large housing it necessitated with a leaf spring in the grip, improving the balance of the pistol. He also angled the grip for better pointability. A grip safety was added to the rear of the frame by 1904.

After making the changes described above, Loewe vigorously sought military contracts for production of the pistol. The first major success came in Switzerland, which adopted the Luger as its service pistol in 1900, in the 7.65 caliber. Switzerland produced Lugers for army use at an arms factory in Bern. Swiss pistols can be identified by the Swiss federal cross above the chamber. A number of other countries evaluated the Luger (including the USA, for which Loewe & Co. manufactured a number of Lugers in caliber .45ACP. The Luger was defeated in trials by the Luger-Browning that became the model 1911). Lugers were also sold commercially in this period, but the Luger was never a big seller due to its' high cost.

In an attempt to allay concerns about poor stopping power with such a small-caliber bullet, Georg Luger developed a second cartridge, the 9mm Parabellum. The 9mm Parabellum also goes by the names 9mm Luger and 9x19mm, and is distinct from a number of other cartridges that use the designation "9mm" in their names (such as 9mm short, 9mm Makarov, 9mm largo). The 9mm Parabellum cartridge case has the same base dimensions as the 7.65x23 Parabellum cartridge, but is not necked down, and is shorter, only 19mm long. A number of design changes to the Luger were made in the early 1900's, including replacing the leaf mainspring with a coil spring, and deleting the grip safety. Some pistols were produced with a lug to attach a shoulder stock. The so-called "new model" Luger of 1904 in caliber 9mm Parabellum was accepted by the German navy and later the army and designated the P08. Thereafter, German military sales accounted for the vast majority of Lugers ever produced.

In the pre-WWI period Lugers were produced by the German government arms factory in Erfurt as well as by Loewe's company, which was at that time named Deutsche Waffen- und Munitionsfabriken (DWM). The DWM monogram or Erfurt Crown logo can be found on the toggle of the pistols they manufactured (Usually. In the world of Luger markings there are always exceptions). The Luger was the standard German side arm throughout World War I. Luger production continued sporadically during the post-war period, in part due to restrictions on German arms manufacture imposed by the Treaty of Versailles. The allies permitted official production to begin in 1925 at Simson and company. Simson, however, was owned by Jews, and the company was liquidated when the Nazis came into power. The Luger manufacturing machinery was purchased by Krieghoff. Mauser purchased DWM's

Luger manufacturing machinery in 1929, and produced Lugers until the later part of World War II. The Luger was officially replaced for German military use in 1940 by the Walther P38 double-action 9mm Parabellum pistol, but certainly Lugers saw service throughout the war.

Switzerland replaced the Luger with more modern designs in the late 1940's, which ended the era of use of the Luger as a service pistol. Lugers continued to be used as police side arms in the German Democratic Republic, which refurbished a number of existing guns (see below).

A number of revivals have occurred in the post-war years. In the 1960's, a .22 caliber blowback toggle-action Luger was produced by ERMA, a successor of the Erfurt company. Mauser produced a series of Lugers somewhat similar to the Swiss military model in the early 1970's. In the USA, Stoeger, which has owned the Luger trademark in the USA since the 1920's began in 1980 to sell newly manufactured stainless steel Lugers. These are still in production, to the best of my knowledge.

### **Operation:**

The most distinctive feature of these pistols is undoubtedly the toggle-lock mechanism, which holds the breech closed by locking in a manner not unlike the human knee, which can sustain a heavy weight when straight, but once bent is quite easy to continue to bend. The toggle joint in its straight position resists the rearward force of the detonating cartridge, then "buckles" after enough time has passed. When a round is fired the entire breech, barrel and toggle move straight rearward (on rails) until the toggle begins to ride up on a pair of cams that "breaks" the toggle (makes it bend at the joint). Once the toggle joint is no longer straight, it bends freely, allowing the bolt to come rearward, and the striker to be cocked. The spent cartridge is extracted by a combination extractor/loaded chamber indicator on the top of the toggle, is ejected as the toggle nears the end of its rearward Free Travel Info, and a new round is stripped from the magazine and chambered as the toggle is driven back to the straight position by a spring.

The Luger is a fairly complicated pistol, requiring quite a bit of precision hand-fitting to manufacture, and tight tolerances between parts. These things contribute to its' accuracy, but detract from reliability. Even for its' time, the Luger was considered complex, expensive, large, and powerful. These factors limited civilian sales especially, given the ubiquity of small, cheap Browning-style pistols. Ultimately, even for military applications, more reliable and cheaper pistols replaced it. Even a little dirt on the exposed parts of the firing mechanism on the left side can cause failure to function. Remember also that the Luger was designed to feed only round-nosed bullets, and hollow-points will almost certainly cause problems. I recommend against doing any polishing or reshaping in an attempt to get hollowpoints to feed. Instead, find another pistol for personal defense, and enjoy the Luger for what it is. I have had best luck with a Remington 115 grain hollow-point whose bullet is contoured much like a standard metal-jacketed "ball" 9mm round, but reliability is still less than with FMJ.

### **Firing, Field-stripping and maintenance:**

#### **To load and fire the pistol:**

1. Remove magazine by pressing the magazine release button on the left side of the grip behind the trigger. Pull the magazine out of the grip by the base if necessary.
2. Load the magazine by pushing down the follower with the knob on the side of the magazine, and inserting cartridges on top of the follower, one by one. The magazine holds 8 rounds.
3. Insert the magazine until a click is heard and base is flush with the bottom of the grip.
4. Pull the toggle up and back by the knurled grips, as far as possible, and release it. It should return to the flat position, and the extractor/loaded chamber indicator (marked "Geladen" on German military pistols) should stick up slightly to indicate that a round is chambered.

5. The safety is off (on all but the oldest Lugers) when it is in the up position. When the safety is placed on, the word "Gesichert" or "safe" is exposed when the safety lever is moved.
6. Aim and fire. The spent cartridge will be ejected nearly straight up and back. It may land on you, so be careful. If there is no failure to extract, eject, or feed, the toggle will return to the flat position, and the striker will be re-cocked. At least on a Luger you know instantly when you have a jam -- you won't be able to see the front sight because the toggle will be in the way.
7. Continue to fire until all cartridges in the magazine have been expended. All but the oldest Lugers (after 1906 or so) will lock open when the last round is fired, if the magazine is properly made. A number of cheaper magazines seem to fail to cause the pistol to lock open after the last round.

#### **To field strip the pistol:**

1. Remove the magazine and remove any round from the chamber. Visually and by feel, verify that the chamber is empty. Close the toggle (pull back slightly and release) if it is locked open. You must remove the empty magazine to close a locked open toggle.
2. Push the barrel down against a hard surface until it moves rearward about 1cm. Then flip the takedown lever (on the left side, in front of the side plate) downward and toward the front of the barrel. Then remove the side plate.
3. Now the entire upper part of the pistol (barrel, receiver, toggle) may be slid forward and off the frame.
4. Once that assembly is removed, the pin holding the rear of the toggle in the receiver may be removed by sliding it out of the left side of the receiver.
5. Once the pin is removed, the toggle and bolt may be removed from the rear of the receiver by sliding them rearward.
6. Admire the precision workmanship. Then clean very thoroughly!

Further disassembly is not recommended nor required for routine cleaning.

#### **To reassemble the pistol:**

1. Reinsert the bolt and toggle into the appropriate receiver rails, with the toggle in the flat position.
2. Slide the upper assembly back onto the frame from the front. Make sure that the S-shaped coupling link hanging down from near the rear of the toggle falls into the notch in front of the hooks that extend up from the mainspring in the rear part of the grip.
3. Push the muzzle down on the hard surface again, and re-install the side plate. The rear of the side plate should be inserted into its notch first.
4. Flip the takedown lever back to the up position.

#### **Notes:**

There is a "takedown" tool for Lugers that aids in removal of the grip screws, ejector, and firing pin spring guide. I have not used one. I would appreciate any source of gunsmithing or detailed disassembly procedures for the Luger. Obtaining a Luger -- early 1997 (This is directed primarily toward purchasers in the USA). To my knowledge, a Luger has the distinction of being the most expensive gun ever offered for sale in rec.guns (at \$10,000). Of course, this posting garnered lots of

flames (e.g. "I've got a brand new Chinese SKS I'll let go for \$900 firm"), but the ironic thing is that the poster's asking price may not have been out of line! (I don't recall the details of his Luger). Given this, a novice purchaser must be very careful when buying any but an absolute rock-bottom price Luger, which can still cost more than many new pistols. If you can't verify a seller's claims by your own knowledge of Lugers, or through reference books, my advice would be to refuse to pay extra for those claims. Over all, it is my opinion that a novice should not buy a Luger with collector value, due to the large dollar amounts involved. Gain some experience with the cheaper ones first! An example of what I am talking about occurred at a recent gun collectors' show, at which maybe 70 Lugers ranging in price from \$500 to \$3500 were displayed. A seller claimed that his pistol (which appeared to be a run-of-the-mill German military pattern 1916 DWM-manufactured 9mm Luger, albeit with matching serial numbers and two matching magazines) was captured and re-issued by the British during WWI. Now, a WWI-era Luger has proof marks, inspectors marks, unit marks, etc, all over it, and unless you know the meanings of a Fraktur G with a crown over it, a Prussian Eagle carrying an orb, and many others, it would be difficult to evaluate his claims of "British proof marks" and whether they were worth an extra \$300 on the price. "The Luger Story" and "The Luger Book" both have information on proof and other marks, but neither work appears exhaustive.

Given that, this FAQ will be directed toward those purchasing their "first" Luger. If you care about the differences between rarer variations, you probably already know much more than I am purporting to cover in this FAQ. Also, don't take what I have to say on faith, either -- do some research!

There are many different variations produced by at least six entities (DWM/DKIW, Erfurt, Simson, Krieghoff, Mauser, Switzerland), with markings in many languages (German, English, Russian, Bulgarian, Finnish, Dutch, ...).

Several obvious things can cause a Luger to command a higher price. The first is that all parts have matching serial numbers. The main serial number is to be found on the frame, in front of and below the barrel. On WWI-era German pistols, it will be 4 digits followed by a cursive letter suffix (indicating which run of 10,000 the pistol belonged to, starting with "a"). This should match the serial number on the left side of the chamber and the one on the underside of the barrel. The year of production was stamped above the chamber after 1910. Many of the small parts (side plate, toggle, etc) have the last two digits of the serial number stamped on them. "The Luger story" has a number of nice diagrams showing exactly which ones and where. If the pistol also has two magazines with matching numbers, that increases the price even further. Pieces that have been refinished (different grips, re-blued, over-stamped numbers) are worth less than those that have not. If there appears to be pitting or other corrosion that has blue on top of it, that is a sure sign the pistol has been re-blued. Of the makers that produced large numbers of Lugers, DWM (earlier) and Mauser (later) are the most common. "The Luger Story" contains an appendix that gives an approximate value based on a "rarity index" for a number (maybe 200) of Luger variations by different makers in different years.

The biggest source of Lugers today (February 1997) at the wholesale level are German military pattern pistols arriving from former Eastern Bloc countries. My guess is that, as in recent years, this lot includes so-called "Vopo re-works" that were refurbished for police (Volks Polizei, "Vopo" for short) use in the former East Germany, including re-bluing and x-ing out and re-stamping serial numbers to make everything match. The bore quality can range from shot-out to excellent, depending on the particular pistol. In general, it seems to me that earlier-dated (esp. pre WWI) pistols are better made than later ones (esp. late WW-II examples), but have also had more time to suffer wear and tear. The grips can be either the original checkered wood or a checkered brown plastic with a target in the center. The magazine bases are typically aluminum rather than wood.

Of course, you can buy a brand new stainless steel Luger from Stoeger, and the 1970's Mauser Lugers are generally in very good shape, since they haven't seen the rigors of wartime service, but there aren't that many of them out there.